

AENOR

Certificate of conformity Plastics

001/007077

AENOR certifies that the organization

POLYPIPE LIMITED

registered office Broomhouse Lane, Edlington S Yorks, Dn 12 1es Doncaster, South Yorkshir
(Reino Unido)

supplies Polypropylene random with modified cristallinity pipes (PP-RCT) and
glass fiber (PP-RCT)/PP-RCT+GF /PP-RCT) for installation of hot and cold
water inside the building structure

in compliance with ESPECIFICACIÓN TÉCNICA AL RP 001.78

Description Trademark: MECFLOW
Fiberglass content: 8%
Fiberglass content of the middle layer: 18%

See annex for more information.

Production site Pl la Mina, el Rodero y la Iniesta, S/N, KM 152 A6 47400 Medina del
Campo (Valladolid - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has
verified the quality system implemented for its manufacture. AENOR
performs these tasks periodically while the Certificate has not been
cancelled, in accordance with Specific Rules RP 01.78.

First issued on 2020-04-24
Validity date 2023-11-06



Rafael GARCÍA MEIRO
Chief Executive Officer

AENOR

Certificate of conformity Plastics

001/007077

Annex to Certificate

Description Trademark: MECFLOW
Fiberglass content: 8%
Fiberglass content of the middle layer: 18%

SERIE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY
3,2	20 - 25 - 32	1/10 ; 2/10 ; 4/10 ; 5/8	Yes
4,0	40 - 50 - 63 - 75 - 90 - 110 - 125 - 160	1/8 ; 2/8 ; 4/8 ; 5/6	Yes
5,0	40 - 50 - 63 - 75 - 90 - 110 - 125 - 160 - 200 - 250 - 315	1/6 ; 2/6 ; 4/6 ; 5/4	Yes
8,0	75 - 90 - 110 - 125 - 160 - 200 - 250 - 315 - 355	1/4 ; 2/4 ; 4/4	Yes

First issued on 2020-04-24
Validity date 2023-11-06

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com